8 X c

Martini Lister,

de

Cochleis,

tàm Terrestribus, quàm Fluviatilibus,

Exoticis,

seu,

quæ non omnino in Anglia

inveniantur,

liber.

Londini,

ære incisus, Sumptibus authoris.

A. L. pmi. 1685.

MVSEVM
BRITAN
NICVM

5 2 R.
3 3

Martinus Lister

has ludentis oty Tabulas

illustri admodum Viro

D. Gulielmo C. medy Templi. Londini

Quòd

è rebus ad Historiam Naturalem pertinentibus

maximè Suis

depictæ *fuerint*

Lubens Merito D. D. D.

BRITISH MUSEUM

L. S.

Cum forte animi causa Museæ aliquot hujus urbis inviserem, inter spolia marina aliquammultos Turbines Exoticos *adverti, quorum alios* Terrestres, *alios aquæ dulcis sive* Fluviatiles *esse probe cognovi: sc. ex analogia nostrorum Anglicanorum olim a me editorum. Cum autem nemo quod sciam (non qui vel data opera de his rebus scripserunt, quod tamen ijs vitio vertendum est) hos a marinis distingueret, operæ pretium esse duxi, ut qui in nostris manibus haberentur (qui sunt non pauci) aliorumq; in hac urbe Museis reperti sunt, ipse breviter enarrarem, literisq; et Chalcographiæ fideliter mandarem.*

Virorum autem à quibus plurisq; mutuò accepi, ut par est, mentionem fecimus: ut non mea tantum ea de re, sed et publice gratiæ ijs merito agerentur. At pre cæteris laude dignus est D.G.Courtein, *tam ob summam industriam, quâ hæc maximis impensis collegit, nitidè reponit, diligenter servat: quam ob singularem suam humanitatem, quâ mihi aliisq; rerum naturæ inquisitoribus facilem aditum præstat: nobisq; è penu suo locupletissimo, libenter copiam facit hæc aliaq; id genus delineandi describendiq;.*

Septuaginta autem et amplius Cochlearum Terrestrium *genera (ut de* Fluviatilibus *nunc taceam) jam, edidi: adeo haud verum est, quod nuper alicui tenuè visum est,* Terram ad Testacea generanda aquis minus aptam esse: *imo vix dubito quin* Terrestres Cochleæ *etiam Marinas specierum numero æquent: si non superent. At hæc, opinor, in causâ sunt, cur nonnulli aliter senserint; nimirum,* Terrestres Cochleas, *si Marinis referantur, magnitudine exiguas esse: Deinde harum testæ ferè leves et tenues sunt, sc: propter expeditum motum.*

3.

BRITISH MUSEUM

et ne suis bestiolis nimio oneri sint; adeoq; brevi pereant et dissipantur; cum Marinæ *propter plærarumq; crassitiem, vel extincto animali in ærum durent. Porro* Marinæ *Testæ continuis fluctibus in littus rejici solent: cumq; ferè validæ et crassæ sint, in unum locum assiduè accumulantur; at hæc causa* Terrestribus Cochleis *deficit, unde non nisi sparsim inveniuntur, densisq; vepribus et sylvis maximè occultantur. His accedit, ex omni parte Orbis* Marinas Cochleas *ex industria, facile, et ex uno colligunt maris cujusq; accolæ et nautæ. at* Terrestres *non nisi raro et casu ex ullâ transmarinâ regione nobis afferuntur, et propter difficultatem appulsus, et quod sylvæ et campi inter feros populos, imò mansuetos. Terræ certè continentis, non sine summo vitæ periculo adeantur, nedum perscrutentur. Quod autem* Terrestres Cochleæ Marinis et colorum varietate et pulchritudine non cedant (id*q; etiam contra quorundam sensum*) *ex descriptionibus nostris ut opinor abundè constabit. Preterea duo sunt, Lector, quæ te scire volui. Unum, ex his testis aliquot posse esse marinas; ejusq; adeo rei, ubi aliqua suspicio est, notam fore adpono.* Alterum, *in aliquibus colorem naturalem ferè perijsse credibile esse, sc. ubi ex toto albidæ sunt; at mihi ex vivis rebus ijsve perfectis descriptiones concinnasse fas non fuit; hanc fœlicitatem aliis relinquo. Hæc autem pauca et exigua literarum commodo et incremento, maximè Historiæ Naturalis, cui vehementer studeo, litavi.*

BRITISH MUSEUM


Cochleæ exoticæ
Terrestres
Buccina, s. e. productiore testâ.
tortilia,
à sinistrâ dextrorsum
lævia, apertura
plana. N.
dentata. N.
striata. N.
à dextrâ sinistrorsum, apert.
plana. N.
dentata. N.
Cochleæ formes, s. e. compactiore testâ. N.
Compressæ, ipsius testæ apertura
plana sive edentulâ
ipso ambitu acuto. N.
ambitu minus acuto. N.
dentatâ
tortilia
a sinistrâ dextrorsum N.
à dextra sinistrorsum N.
Fluviatiles etc.


BRITISH
MUSEUM

Sectio 1.

Buccina *Terrestria, exotica, á sinistra dextrorsum tortilia, lævia, edentula.*

BRITISH MUSEUM

BRITISH
MUSEUM

8.

MUSEUM

BRITISH MUSEUM

BRITISH MUSEUM

BRITISH MUSEUM

BRITISH
MUSEUM

13.


BRITISH
MUSEUM

BRITISH MUSEUM

BRITISH
MUSEUM



BRITISH
MUSEUM



BRITISH MUSEUM

19.

BRITISH MUSEUM

Sectio 2.

Buccina *terrestria exotica, à sinistra: dextrorsum tortilia, edentula, Striata.*

BRITISH MUSEUM

BRITISH MUSEUM

BRITISH MUSEUM

Sectio 3.

Buccina *terrestria exotica*, *a sinistra dextrorsum tortilia*, apertura dentata.

BRITISH MUSEUM

BRITISH MUSEUM

BRITISH
MUSEUM

Sectio 4.

Buccina *terrestria, exotica, à dextra sinistrosum tortilia*, apertura plana.

BRITISH MUSEUM



BRITISH
MUSEUM



BRITISH MUSEUM

BRITISH
MUSEUM

Admonitio ad Lectorem.

Litera majuscula [A] *aliquammultis Figuris adponitur: ea autem Animalia aliasue res Naturales Anglicanas denotat: nostrisq*$_{B}$ *adeo inter* exotica *locum etiam servato ordine, commodè aßignavi.*

BRITISH MUSEUM

Sectio 5.

Buccina *terrestria exotica. a dextra sinistrorsum tortilia*. apertura dentata.

BRITISH
MUSEUM

Sectio 5.

Buccina *terrestria exotica. a dextra sinistrorsum tortilia.* apertura dentata.

BRITISH MUSEUM

33

BRITISH
MUSEUM

Sectio. 6.

Turbines terrestres exotici.

Cochleæ-formes. *i. e. compactiore figura.*

BRITISH MUSEUM

BRITISH MUSEUM



37.



BRITISH
MUSEUM




BRITISH
MUSEUM



BRITISH MUSEUM

BRITISH MUSEUM

4.1.



BRITISH
MUSEUM



BRITISH MUSEUM





BRITISH MUSEUM


A

BRITISH MUSEUM


A



BRITISH MUSEUM

A
46.


BRITISH MUSEUM


A


BRITISH
MUSEUM

Section 7.

Trochilus Montpessulanus [illegible]

48.

BRITISH MUSEUM

Sectio. 7.

Trochilus Monspessulanus.



BRITISH MUSEUM





BRITISH MUSEUM

Sectio 8

Turbines terrestres, ex otiis, Compressi

edentuli, ipso ambitu acuto.





BRITISH MUSEUM

Sectio. 8.

Turbines terrestres, exotici, Compressi. edentuli. ipso ambitu acuto.

BRITISH MUSEUM




MUSEUM


MUSEUM



BRITISH
MUSEUM

Sectio 9.

Turbines terrestres, exotici, compressi ambitu obtusiore, apertura edentula.

BRITISH MUSEUM

BRITISH
MUSEUM




BRITISH
MUSEUM

60.

BRITISH
MUSEUM

61.

BRITISH
MUSEUM

62.

BRITISH MUSEUM




BRITISH
MUSEUM

BRITISH MUSEUM



65.

BRITISH
MUSEUM

66.



BRITISH MUSEUM




BRITISH
MUSEUM


BRITISH
MUSEUM

A
A

BRITISH
MUSEUM

Sectio. 10.

Turbines terrestres exotici. Compressi à sinistrâ dextrorsum tortiles, apertura dentata.



BRITISH
MUSEUM

71.

BRITISH MUSEUM

BRITISH MUSEUM



BRITISH
MUSEUM

BRITISH MUSEUM




BRITISH MUSEUM

Sectio. II.

Turbines Terrestres exotici Compressi *apertura, dentata, à dextra sinistrorsum tortiles; apice inverso ex ipsa aperturæ parte.*

BRITISH
MUSEUM

Ioculare tibi videtur ;
Et Sanè benè
Dum nihil habemus majus ,
Penicillo *ludimus*

BRITISH MUSEUM

Tabula 4.



Fig:I. Cor Cochleæ alicujus Terestris cum vasis. Fig:II. ejusdem Cochleæ Dens ex Microscopio. Fig:III. a. initium intestinorum b. Gula, sive Cavitas, ubi dens Cochleæ ponitur. cc. Ventriculus. eee. intestina. f. exitus intestinj ad pulmonis foramen. Fig:IV. a. exitus Penis. b. Tubulus in quo conditur corpus glandulosum, Fig:V depictum. e. Penis Cochleæ. h. locutus ubj conditur officulum pyramidale. ddd. vasa spermatica. g. Testiculus. eeee. Tubulus a vasis Spermaticis ortus et insertus. f. corpus quoddam rufum glandulosumq; medijs viscoribus absconditum. m m. Tubulus alius venereus. l. Sacculus ubj iste Tubulus desinit, humor quidam rufo plenus, saponis mollioris admodo. Fig:V. corpus Glandulosum.

82

amulo

Tabula 3.

Fig:I. a. intestini Limacis initium. f. Gula. b. Ventriculus. cc. Intestinum. d. intestini exitus, qui aperitur exiguo quodam foramine sub limbo majoris illius Foraminis, quo Pulmo respirat. Fig:II. g. Penis Limac. h. locus, ubi exeritur Penis et cum vasculo Spermatico conjungitur. iiii. vas Spermaticum. k. Testiculus. l. Vasculum quoddam album intortum, ex una parte ipsi testiculo, ex altera' gl=andi prope jecur cum ramificationibus insertum. n. limacis pellis. o. intestina.



BRITISH MUSEUM

BRITISH MUSEUM

Cochlearum *exoticarum, tam Turbinatarum quàm Musculorum* Fluviatilium.
id est,
aquæ dulcis.
Liber.

A. *f* 1.

BRITISH
MUSEUM

Cochleæ nudæ *Terrestres* Limaces
quibusdam dictæ.

BRITISH

Fredi Limacum Cochlearumq; Anatomia quatuor Tabulis exhibita.

Fig: I.



Fig: II.

Fig: III.

Fig: IV.

Fig: I. *Limaces nudi ipso cortu conjuncti.*

Fig: II. *Limacis Cor cum suis vasis in ramos deductis.*

Fig: III. *Capitis Ossiculum.*

Fig: IV. *Limacis dens, magnitudine microscopio auctus.*

BRITISH MUSEUM

Tabula 2.

Fig: I. *Limacis* Penis *cum suis membranis et ligamentis.*

Fig: II. *Limacis* Penis *exertus, et flatu artificialiter repletus.*



78

BRITISH MUSEUM

Sectio 1.

Buccina, exotica Fluviatilia.

BRITISH MUSEUM

A

3.

BRITISH
MUSEUM

A

BRITISH MUSEUM

Sectio. 2.

Cochleæ *exoticæ Fluviatiles.*



5.


BRITISH
MUSEUM



6.

BRITISH MUSEUM

BRITISH
MUSEUM

BRITISH MUSEUM

Cochlea vivipara,
Fluviatilis.

A.

9.

BRITISH MUSEUM

BRITISH
MUSEUM

Nerites Fluviatilis

A

Patella Fluviatilis

A

11.

BRITISH MUSEUM

Sectio. 3.

Cochleæ exoticæ. Fluviatiles Compreſſæ.

BRITISH MUSEUM

Purpuræ Thoriatales Coccum
fundentes.



13

BRITISH MUSEUM

Sectio. 4.

Musculi *Fluviatiles*, *Anglicani* et Exotici.

BRITISH
MUSEUM



15.

BRITISH
MUSEUM


16.
A

BRITISH MUSEUM


A
A
A
A


BRITISH MUSEUM

Musculus Fluviatilis è Fluvio **Tamesi ad**
Batterſey.



Hist. Conchyl. Edit. vet. Fol. 66.

Conchyliorum *Marinorum*.

liber;

in quibus

Conchæ Anatiferæ *dictæ*, Balaniq;

numerantur.

Londini
ære incisus, Sumptibus authoris
1687. A. delin.

(1)

Sectio. 1. *Membrum* 1.

Pectines, imparibus Testis, nervo tantum Simplici, colligatj, exutraq; parte æqualiter Auriti, Striati.

1



A

3

p. 67. Tij. 1.





A

p. 72. Fig. 9.

NB. This is to be placed in 3d member; being one of those Pectines wch have inequall earth; the Earth on ye left hand is far bigger than yt ~~of~~ on ye right hand. it is ill figured in my booke of English shells, because ye Figure was drawn from a worne old shell. the fairest of these are red, & some are marbled with white.

It is ye same with ye first of ye 3d member.

This shell is verie flatt, both ye valves; it hath 14 large risings or ridges: is of ye deeper or longer sort. I have seen a pair of yen as bigg again as ye figured whose lesser or under shell was marbled with a darke haire colour.

p. 78. Fig. 11

BRITISH MUSEUM

Porten muricatus, albus.
(11)

BRITISH MUSEUM



P. 75. Fig. 13.

BRITISH MUSEUM

(13)


BRITISH MUSEUM


BRITISH
MUSEUM

Sectio 1. Membrum 2.

Pectines æqualiter auriti, Læves.

1

BRITISH MUSEUM

Sectio. 1. Membrum 3. Art. 1.

Pectines ex altera tantùm parte auriti, aut admodum inæqualiter auriti: quibus, auris sinistra major. 12



BRITISH
MUSEUM

Sectio. [illegible] membrum. 4.

Pectines sine auribus, quibus majoris
Testæ latera utrinque ad cardinem leviter inflectuntur.

BRITISH MUSEUM

p. 75. Fig. 14.

Sect. 1. Numer. 3. Artic. 2.

Pectinis striati, quibus auris dextra major est.

This is a middle size golden yellow or reddish of one
there are also great variety of colours & marked ones of this kind
colour; hath its eares unequall; & about 20 rising,
streaked: ye ear to ye right hand, wch is more
extended than ye other is hollowed. also with a sinus
wch the other is not; at ye bottome of yt sinus
are some small nidrutures or Toothings.

BRITISH MUSEUM

Sectio . 3.

Pectines sine auribus; Ostreæ dictæ .

A

A

Hist. Fol. 86

BRITISH MUSEUM

Exhibet ostreum testâ exemptum, & integrum, ut partes ejus, quomodo habent in situ naturali, conspiciantur.

A. *Ostrei caput, in cujus angulos* B.B. *musculi circulares totum corpus circumdantes terminantur.* C. *Hiatus inter musculos & Branchias ad os ducens.* D. *Superior hepatis portio coloris fusci ventriculo incumbens.* E.E. *Oesophagus ab ore ad ventriculum ducens.* F.F.F.F. *Intestinum à ventriculo versus musculi recti angulum descendens, quod inde introrsum & convolutum, supra hepar ascendit, ibi demersum, in* G. *emergit, ac in anum terminatur.* H.H.H. *Cutis cum carne glandulosâ, & adipe, viscera tegens, & interjacens.* I. *Cavitas in qua pericardium, cum corde, & nasis.* K. *Musculus rectus, cum fibris perpendicularibus, tunus aperiens.* L. *Musculus alter rectus, cujus tendines utrique testæ accrescentes eas occludent.* M. *Ejusdem musculi crassities, & fibrarum altitudo demonstratur.* N.N. *Musculi circulares à latere dextro Branchias includentes.* O. *Musculus circularis superior, Branchiis incumbens, extra situm evolutus, ut Branchiæ conspiciantur.* P. *Musculus circularis inferior, Branchiis subjtratus* Q.Q.R.R. *Eorundem musculorum partes, à latere Ostreæ sinistro consitæ.* S. *Sinus, ubi musculi utrique circulares, eorumque partes dextræ, & sinistræ coeuntes, Ductum pro aquis ad Branchias admittendis, & inde exclendis constituunt.* T.T.T.T *Branchiarum cirri quatuor inferiores, qui tenuiores, & latiores* V.V.V.V. *Eorundem cirri superiores, crassiores, & contractiores.*


BRITISH MUSEUM

Repræsentat ostreum apertum & evolutum ut viscera ejus, & partes internæ conspiciantur.

A.A. *Duæ Branchiæ, è superioribus dissectæ, & extra situm proprium remotæ, ut os ostrei patuit.* B. *Ostrei os.* C. *Oris velum, seu integumentum.* D.D. *Branchiæ duæ aliæ superiores, in situ proprio, cum vasis peripneumonibus.* E. *Hepatis portio superior obscissa, sub qua ventriculus latet.* F. *Cor pericardio nudatum, cujus auricula ampla, & nigricans.* G. *Aorta, mox ab egressu cordis in tres ramos divisa.* H. *Ramus primus versus caput ascendens.* I. *Ramus Secundus in musculos rectos,* K. *Ramus Tertius in Branchias tendens.* L. *Venæ cavæ truncus, cordis auriculam ingrediens.* M.M.M.M. *Branchiæ inferiores, cum musculis circularibus ab Ostrei corpore, ubi adhærebant, abscissæ, & expansæ, ut illarum ductus, & cavitates aspiciantur.* N.N.N.N. *Branchiarum juga, seu pinnæ, quibus singulis vasa, sc. vena, & arteria.* O.O.O.O. *inequitant, & foramina* PPPP. *interjacent.* Q.Q.Q.Q. *Branchiarum earundem extremitates, seu fimbriæ.* R.R. *Musculus circularis inferior, lateris dextri, extra situm, & inversus, ut conspici possit.* S.S. *Ejusdem portio, quæ ostrei fundo cohærebat.* T.T. *Ejusdem portio, quæ ostrei latus sinistrum circumdans, portioni.* V. *cohærebat.* W.W. *Musculus circularis superior, lateris dextri, complicatus, & contractus, ne Branchias abscondat.* X.X. *Ejusdem portio, quæ ostrei latus sinistrum circumdans, portioni.* Y. *cohærebat.* Z.Z. *Branchiæ superficies, in qua pinnæ, seu ductus struuntur, pro humore vitali, aquisque ingerendis, reprendisque agendi.* 1. *Ostrei limbus inferior, à quo Branchiarum juga, & musculi circulares abscinduntur.* 2. *Intestini portio in anum desinens.* 3. *Anus.*

1. Ostrea Virginiana.
2. Ostrea orbiculata. pellucida

In the Gulfe of Orotigna, and ye Islands therin, in the Province of Nicaragua on the South Sea, are many shell-fishes of a long forme, some a cubit long, some less, creased, growing broader & broader to ye end: when they are opened, they have a Fishie substance within ym. and shine within as ye Pearle Oysters doe halfe their length, thence by degrees loosing that shining toward the broader end. The Pearles within ym are not so fine as the other. The Indians use the shells to dig their loose ground fastening ye shell to a handle of wood, binding it fast and making a kind of Spade therof. G. F. de Oviedo apud Parch. lib. 5. c. 3.

N. it is but on ye one side yt these Hookes are; so yt ye other halfe or shell is without ym; & therfore we seldome have a Twig of ym, but ye fellow shells are all wantinig. Besides ye valve or shell without Hookes is edged near ye Hindge with small notches.

The different Figures of these shells are very odd & wonderfull various —

Ostrea arborea, dorso unci donato.

BRITISH MUSEUM

This is ye lesser, or under shell of this sort of Spondyle, ye upper still having a beake, & from yt beake to ye Toothing, a sloap cutt, as tho' done by ~~nature~~ art, not nature.

Sectio. 5.

Pectines subparibus Testis, auritj, feré muricatj scabrive, et instar corallj rufescentes quibusdam Spondyli dictj.

BRITISH MUSEUM


BRITISH MUSEUM

BRITISH MUSEUM

Sectio 3.

Pectines sive auribus; quibus majoris Testæ latera utrinq; ad cardinem leviter inflectuntur.

BRITISH MUSEUM

p. 90. Fig. 44. an Pectunculis striatis memorandus?

Sectio. 6.

Pectines *paribus Testis, feré læves, intus lucidj & eximio quodam splendore, Margarituferj.*



BRITISH MUSEUM



BRITISH MUSEUM

The Pearles lye under ye uttermost part of the circuit of the Oister, in ranks and proportions, under a certain part, wch is of many pleights & folds, called ye Ruffe, for the similitude it hath unto a Ruffe. the Pearles increase in bignesse, as they be nearer the end or joint of the Oister. St Rich. Hawkins. apud Purch. lib. 7. c. 5



p. 94. Fig. 56.

BRITISH MUSEUM

p. 45. Fig. 54.

BRITISH MUSEUM


Pecten planus. pellucidus.

BRITISH MUSEUM

p. 96. Fig. 61.

BRITISH
MUSEUM

Sectio. 7

Pectunculi, paribus Testis, minime auriti. a summo ad imum fere productiores. Læves.

p. 104. Fig 83.

BRITISH MUSEUM

p. 105. Fig. 84.

BRITISH MUSEUM

N.B. This shell is very thick & ponderous: its coat is smooth & opt green, like yo muscle or fresh water kind. a yellowish

To be printed on yo other side yo paper.



BRITISH MUSEUM



P. 107. Fig. 96.

BRITISH MUSEUM


BRITISH
MUSEUM




BRITISH MUSEUM

A


A

BRITISH MUSEUM

to be seen in Cabinets

There are very large of this kind of shell: they come from China or Japan; for I have seen many pairs of you painted & guilt within side, after yt countrie manner; to imitate ye use of boxes.

This is thin & ponderous shell for ye bigness; it hath also a falling edge in ye one side, wch is in neither of the marbled shells of this chapter; besides ye undulating of ye spotts much different from either of ym.

NB This is by much ye rarest [illegible]; I have seen but one of ym.





Bucardia Aug. Scilla

BRITISH MUSEUM



1.94. Fig. 55.

Sectio. 8.

Pectunculj Fasciatj.

BRITISH MUSEUM

This shell is yellowish without spotts, not thick to its bulke, is distinguished by eyed zones: hath also towards ye left hand a faint sinus or depressed place for ye head to ye border; wch is not well expressed in ye Graving: neither are ye rising edgings of ye zones well expressed.

N. The outer shell is sure of ye kind.



p. 121. Fig. 137.


BRITISH MUSEUM



p. 118. Fig. 116.

BRITISH MUSEUM



p. 116. Fig. 123.


BRITISH
MUSEUM



Pl. 16. Fig. 123.

BRITISH MUSEUM


BRITISH
MUSEUM

p. 115. Lin. 119

BRITISH MUSEUM

BRITISH MUSEUM



BRITISH MUSEUM



Fig. 124 - p. 117.



BRITISH
MUSEUM





p. 127. Fig. 143.

Sectio 9 *membrum.* 1.

Pectunculj, Striati, cardine

Pyxydata





BRITISH MUSEUM



BRITISH
MUSEUM



the small ones of this kind of shell are very beautifull, & yellowish with darke browne or haire coloured running spotts, in an undulated manner from side to side or thwart ye shell. There are shells of the kind much bigger than this. They are but rare.





BRITISH
MUSEUM



BRITISH MUSEUM



BRITISH MUSEUM



BRITISH MUSEUM



BRITISH MUSEUM




BRITISH
MUSEUM



BRITISH MUSEUM

B. This Figure was drawne from a decaied & broken shell. And is the same wch yt drawne under it, from a more, perfect one of yo kind.

BRITISH MUSEUM

Sectio. 9. *Memb*; 2.

Pectunculj striati et imbricatj.

BRITISH
MUSEUM


BRITISH MUSEUM




BRITISH
MUSEUM



BRITISH MUSEUM

Pectunculj Polyleptogmglymj *margine ex altera parte* Productiore, *Striatj*.

BRITISH MUSEUM

[illegible]

BRITISH MUSEUM



BRITISH MUSEUM

BRITISH MUSEUM

BRITISH MUSEUM

BRITISH
MUSEUM

Sectio. 9. Membrum. 3. Articul. 2.

Pectunculj Polyleptogmglymj *margine rotundâ*, *Striatj*.



BRITISH MUSEUM




BRITISH MUSEUM





Sectio.10. *Membrum*.1.

Tellinæ. *i.e.* Conchæ ferè Cunei=
formes *ambitu* Serrato.



A





Sectio. 10. Membrum. 2.

Tellinæ, *quibus ambitus planus*







HARVARD
MUSEUM

BRITISH MUSEUM

BRITISH
MUSEUM

Tellina Lævis.

BRITISH
MUSEUM

BRITISH MUSEUM

Tellina Cæsij



A

BRITISH MUSEUM

BRITISH MUSEUM

Sectio. II. Membrum. I.

Solenes i. d. est, Conchæ tenues longissimæ q, ab utraq; parte naturaliter hiantes.



BRITISH
MUSEUM



BRITISH MUSEUM

Sectio. 11. membrum. 2.

Chamæ, ab altero tantum latere ferè naturaliter Hiantes.

BRITISH MUSEUM


MUSEUM

chama nigra Rondelety



BRITISH MUSEUM



BRITISH MUSEUM

NB. one of these [illegible] [illegible] spoon-Tooth

Chamæ Pholades

A



BRITISH
MUSEUM



BRITISH MUSEUM

MUSEUM

BRITISH MUSEUM

Sectio. 12.

Musculi *marini. t.e. Conchæ cardine lævi minimeq; dentato : rectoq; ; ab altero latere Sinuatj.*

BRITISH MUSEUM

BRITISH MUSEUM




BRITISH
MUSEUM

MUSEUM

Sectio.13. membrum.1.

Pinnæ, i.e. Conchæ cardine lævj, minimè dentato rectoq. ab utroq latre fere æquales aut; parum sinuatæ. margine velut: præcisa.


BRITISH MUSEUM

Sectio 14

Pholades *trium testarum*.



BRITISH
MUSEUM

BRITISH MUSEUM





BRITISH MUSEUM

Pholadum *tertia testa, aliarum cardini Superinjecta.*

Saxum pholadibus foratum.




BRITISH MUSEUM

Sectio 15

Conchæ quinque Testarum, Anatiferæ plerisq; dictæ.

BRITISH MUSEUM

Sectio .16.

Balanj



BRITISH MUSEUM



A

PEABODY MUSEUM

MVSEVM
BRITAN
NICVM